



## TGFU.R27615 Roofing Systems

[Page Bottom](#)

### Roofing Systems

[See General Information for Roofing Systems](#)

**GULF COAST SUPPLY & MANUFACTURING, LLC**

R27615

14429 SW 2nd Pl, Suite 30  
Newberry, FL 32669 USA

#### OTHER SYSTEMS

One or more layers of GAF "VersaShield Underlayment", mechanically fastened, may be used in lieu of the Barrier Board in all combustible Classifications for Steel Panels.

Two or more layers of GAF "VersaShield Underlayment", mechanically fastened, may be used in lieu of the Barrier Board in all combustible Classifications for Aluminum Panels.

#### Class A

**1. Deck:** C-15/32

**Incline:** Unlimited

**Barrier Board:** — 1/4 in. min. G-P Gypsum "DensDeck®", CertainTeed Gypsum "GlasRoc" or USG "SECUROCK®" glass mat board with all joints staggered a min of 6 in. from the plywood joints.

**Ply Sheet (Optional):** — Any UL Classified Type G1, G2 or G3 base/ply sheet, Type 15, 20 or 30 felt or UL Classified prepared roofing accessory or GCP Applied Technologies Inc. "Ice and Water Shield".

**Surfacing:** — Coated steel or aluminum roofing panels identified as "5-V Crimp", "Gulf Lok", "Gulf Seam", "Gulf PBR", "Gulf Rib", "Gulf Wave", "Gulf Snap", "Versa Loc" and "Mega Loc", mechanically fastened.

**2. Deck:** NC

**Incline:** Unlimited

**Barrier Board:** — 1/4 in. min. G-P Gypsum "DensDeck®", CertainTeed Gypsum "GlasRoc" or USG "SECUROCK®" glass mat board.

**Ply Sheet (Optional):** — Any UL Classified Type G1, G2 or G3 base/ply sheet, Type 15, 20 or 30 felt or UL Classified prepared roofing accessory or GCP Applied Technologies Inc. "Ice and Water Shield".

**Surfacing:** — Coated steel or aluminum roofing panels identified as "5-V Crimp", "Gulf Lok", "Gulf Seam", "Gulf PBR", "Gulf Rib", "Gulf Wave", "Gulf Snap", "Versa Loc" and "Mega Loc", mechanically fastened.

**3. Deck:** NC

**Incline:** Unlimited

**Barrier Board:** — 7/16 OSB or 5/8 in. plywood over polyisocyanurate insulation board or polyisocyanurate composite board, any thickness.

**Ply Sheet (Optional):** — Any UL Classified Type G1, G2 or G3 base/ply sheet, Type 15, 20 or 30 felt or UL Classified prepared roofing accessory or GCP Applied Technologies Inc. "Ice and Water Shield".

**Surfacing:** — Coated steel or aluminum roofing panels identified as "5-V Crimp", "Gulf Lok", "Gulf Seam", "Gulf PBR", "Gulf Rib", "Gulf Wave", "Gulf Snap", "Versa Loc" and "Mega Loc", mechanically fastened.

**4. Deck:** NC

**Incline:** Unlimited

**Insulation:** — Polyisocyanurate, glass fiber, perlite or wood fiber, any thickness.

**Ply Sheet (Optional):** — Any UL Classified Type G1, G2 or G3 base/ply sheet, Type 15, 20 or 30 felt or UL Classified prepared roofing accessory or GCP Applied Technologies Inc. "Ice and Water Shield".

**Surfacing:** — Coated steel or aluminum roofing panels identified as "5-V Crimp", "Gulf Lok", "Gulf Seam", "Gulf PBR", "Gulf Rib", "Gulf Wave", "Gulf Snap", "Versa Loc" and "Mega Loc", mechanically fastened.

**5. Deck:** NC

**Incline:** Unlimited

**Insulation:** — None required, however any UL Classified insulations may be used over open purlin spans. Any combination and any total thickness of insulation may be used.

**Surfacing:** — Coated steel or aluminum roofing panels identified as "5-V Crimp", "Gulf Lok", "Gulf Seam", "Gulf PBR", "Gulf Rib", "Gulf Wave", "Gulf Snap", "Versa Loc" and "Mega Loc", mechanically fastened.

**6. Deck:** C-15/32

**Incline:** Unlimited

**Barrier Board:** — 1/4 in. min. G-P Gypsum "DensDeck®", CertainTeed Gypsum "GlasRoc" or USG "SECUROCK®" glass mat board with all joints staggered a min of 6 in. from the plywood joints.

**Ply Sheet (Optional):** — Any UL Classified Type G1, G2 or G3 base/ply sheet, Type 15, 20 or 30 felt or UL Classified prepared roofing accessory or GCP Applied Technologies Inc. "Ice and Water Shield".

**Surfacing:** — Coated steel or aluminum roofing panels identified as "5-V Crimp", "Gulf Lok", "Gulf Seam", "Gulf PBR", "Gulf Rib", "Gulf Wave", "Gulf Snap", "Versa Loc" and "Mega Loc", mechanically fastened.

**Class C**

1. **Deck:** C-15/32

**Incline:** Unlimited

**Surfacing:** — Coated steel or aluminum roofing panels identified as "5-V Crimp", "Gulf Lok", "Gulf Seam", "Gulf PBR", "Gulf Rib", "Gulf Wave", "Gulf Snap", "Versa Loc" and "Mega Loc", mechanically fastened.

Last Updated on 2017-05-03

---

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".



## TGAM.R27615 Roof-covering Materials, Impact Resistance

[Page Bottom](#)

---

### Roof-covering Materials, Impact Resistance

[See General Information for Roof-covering Materials, Impact Resistance](#)

**GULF COAST SUPPLY & MANUFACTURING, LLC**

R27615

14429 SW 2nd Pl, Suite 30  
Newberry, FL 32669 USA

**Class 4 metal panels**, Model(s) "5-V Crimp", "Gulf Snap", "Gulf Rib", "Gulf PBR", "Gulf Wave", "Gulf Lok", "Gulf Seam", "Mega Loc" and "Versa Loc"

[Last Updated](#) on 2018-04-18

---

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2018 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".